



02.09.2011

www.edostavka.ru

		0,5	1	29	1
	. (60000)	1155	1235	210	4-7
	. (60000)	900	1020	140	3-5
	. (60000)	1150	1270	140	3-5
	. (60000)	970	1090	140	3-5
	. (60000)	1400	1500	210	3-6
	. (60000)	1125	1205	205	5-8
	. (60000)	1125	1205	205	5-8
	. (60000)	970	1090	140	3-5
	. (60000)	1400	1500	210	3-6
	. (60000)	900	1020	140	3-5
	. (60000)	900	1020	140	3-5
	. (60000)	970	1090	140	3-5
	. (60000)	1400	1500	210	3-6
	. (60000)	915	955	200	3-5
	. (60000)	1155	1235	210	4-7
	. (60000)	900	1020	140	3-5
	. (60000)	1255	1325	215	4-6
	. (60000)	1150	1270	140	3-5
	. (60000)	1400	1500	210	3-6
	. (60000)	1420	1555	155	4-6
	. (60000)	970	1090	140	3-5
	. (60000)	2310	2430	440	8-10
	. (60000)	1125	1205	205	5-8
	. (60000)	900	1020	140	3-5

		0,5	1	29	1
	. (60000)	640	715	120	3-4
	. (60000)	900	1020	140	3-5
	. (60000)	935	990	120	3-4
	. (60000)	1150	1270	140	3-5
	. (60000)	1125	1205	205	5-8
	. (60000)	1150	1270	140	3-5
	. (60000)	900	1020	140	3-5
	. (60000)	1125	1205	205	5-8
	. (60000)	880	925	145	3-4
	. (60000)	1755	1855	270	5-9
	. (60000)	1150	1270	140	3-5
	. (60000)	1150	1270	140	3-5
	. (60000)	1400	1500	210	3-6
	. (60000)	970	1090	140	3-5
	. (60000)	1250	1345	175	4-6
	. (60000)	1020	1085	160	3-5
	. (60000)	900	1020	140	3-5
	. (60000)	1440	1530	260	5-9
	. (60000)	980	1035	120	3-4
	. (60000)	1600	1690	240	4-9
	. (60000)	1435	1515	240	5-9
	. (60000)	1150	1270	140	3-5
	. (60000)	1420	1555	155	5-7
	. (60000)	1125	1205	205	5-8
	. (60000)	970	1090	140	3-5
	. (60000)	970	1090	140	3-5
	. (60000)	970	1090	140	3-5
	. (60000)	915	955	200	3-5
	. (60000)	1420	1555	160	5-7

		0,5	1	29	1
	. (60000)	900	1020	140	3-5
	. (60000)	760	805	100	2-4
	. (60000)	970	1090	140	3-5
	. (60000)	1400	1500	210	3-6
	. (60000)	620	680	130	3-6
	. (60000)	900	1020	140	3-5
	. (60000)	900	1020	140	3-5
	. (60000)	900	1020	140	3-5
	. (60000)	900	1020	140	3-5
	. (60000)	1760	1870	320	5-8
	. (60000)	900	1020	140	3-5
	. (60000)	1005	1105	190	3-6
	. (60000)	900	1020	140	3-5
	. (60000)	1445	1565	235	4-8
	. (60000)	1150	1270	140	3-5
	. (60000)	1020	1085	160	3-5
	. (60000)	1125	1205	205	5-8
	. (60000)	1125	1205	205	5-8
	. (60000)	900	1020	140	3-5
	. (60000)	900	1020	140	3-5
	. (60000)	1505	1570	205	3-6
	. (60000)	900	1020	140	3-5
	. (60000)	915	955	200	3-5
	. (60000)	1345	1415	235	4-7
	. (60000)	1005	1105	190	3-5
	. (60000)	935	1055	145	3-5
	. (60000)	1150	1270	140	3-5
	. (60000)	970	1010	120	3-4
	. (60000)	1125	1205	205	5-8
	. (60000)	1005	1105	190	3-6

		0,5	1	29	1
	. (60000)	1150	1270	140	3-5
	. (60000)	760	880	145	3-4
	. (60000)	1150	1270	140	3-5
	. (60000)	1150	1270	140	3-5
	. (60000)	900	1020	140	3-5
	. (60000)	970	1090	140	3-5
	. (60000)	1150	1270	140	3-5
	. (60000)	1150	1270	140	3-5
	. (60000)	900	1020	140	3-5
	. (60000)	1150	1300	180	5-8
	. (60000)	1060	1105	170	5-7
	. (60000)	1400	1500	210	3-6
	. (60000)	970	1090	140	3-5
	. (60000)	1125	1205	205	5-8
	. (60000)	1125	1205	205	5-8
	. (60000)	970	1090	140	3-5
	. (60000)	900	1020	140	3-5
	. (60000)	900	1020	140	3-5
	. (60000)	980	1035	120	3-4
	. (60000)	1555	1655	260	5-9
	. (60000)	1555	1655	260	5-9
	. (60000)	970	1090	140	3-5
	. (60000)	1125	1205	205	5-8
	. (60000)	1665	1820	225	4-7
	. (60000)	1150	1270	140	3-5
	. (60000)	1150	1270	140	3-5
	. (60000)	1445	1565	235	4-8
	. (60000)	900	1020	140	3-5
	. (60000)	900	1020	140	3-5

		0,5	1	29	1
	. (60000)	1250	1345	175	4-6
	. (60000)	1445	1565	235	4-8
	. (60000)	1150	1270	140	3-5
	. (60000)	900	1020	140	3-5
	. (60000)	900	1020	140	3-5
	. (60000)	900	1020	140	3-5
	. (60000)	1125	1205	205	5-8
	. (60000)	1125	1205	205	5-8
	. (60000)	1150	1270	140	3-5
	. (60000)	1150	1270	140	3-5
	. (60000)	1195	1285	195	3-6
	. (60000)	1125	1205	205	5-8
	. (60000)	1150	1270	140	3-5
	. (60000)	1125	1205	205	5-8
	. (60000)	1150	1270	140	3-5
	. (60000)	1400	1500	210	3-6
	. (60000)	790	845	120	2-3
	. (60000)	1185	1265	170	5-8
	. (60000)	1240	1280	180	5-7
	. (60000)	1505	1570	200	3-7
	. (60000)	1150	1270	140	3-5
	. (60000)	1150	1270	140	3-5
	. (60000)	900	1020	140	3-5
	. (60000)	1250	1345	175	4-6
	. (60000)	1470	1605	160	5-7
	. (60000)	1445	1565	235	4-8
	. (60000)	900	1020	140	3-5
	. (60000)	1420	1555	160	4-6
	. (60000)	900	1020	140	3-5

		0,5	1	29	1
	. (60000)	1250	1305	155	3-6
	. (60000)	1150	1270	140	3-5
	. (60000)	970	1090	140	3-5
	. (60000)	900	1020	140	3-5
	. (60000)	900	1020	140	3-5
	. (60000)	900	1020	140	3-5
	. (60000)	970	1090	140	3-5
	. (60000)	1125	1205	205	5-8
	. (60000)	1070	1120	400	4-6
	. (60000)	1125	1205	205	5-8
	. (60000)	900	1020	140	3-5
	. (60000)	1420	1555	160	5-7
	. (60000)	1445	1565	235	4-8
	. (60000)	1150	1270	140	3-5
	. (60000)	1440	1530	260	5-9
	. (60000)	900	1020	140	3-5
	. (60000)	970	1090	140	3-5
	. (60000)	970	1090	140	3-5
	. (60000)	970	1090	140	3-5
	. (60000)	900	1020	140	3-5
	. (60000)	970	1090	140	3-5
	. (60000)	1125	1205	205	5-8
	. (60000)	1420	1555	160	4-6
	. (60000)	900	1020	140	3-5
	. (60000)	970	1090	140	3-5
	. (60000)	1125	1205	205	5-8
	. (60000)	1125	1205	205	5-8
	. (60000)	900	1020	140	3-5
	. (60000)	1915	2005	325	7-12

		0,5	1	29	1
	. (60000)	1005	1105	190	3-7
	. (60000)	970	1090	140	3-5
	. (60000)	1255	1325	215	4-7
	. (60000)	900	1020	140	3-5
	. (60000)	1445	1565	235	4-8
	. (60000)	900	1020	140	3-5
	. (60000)	970	1090	140	3-5
	. (60000)	1150	1270	140	3-5
	. (60000)	860	990	100	2-4
	. (60000)	2430	2600	175	3-6
	. (60000)	1340	1480	160	5-8
	. (60000)	970	1090	140	3-5
	. (60000)	1620	1770	245	5-8
	. (60000)	1125	1205	205	5-8
	. (60000)	1125	1205	205	5-8
	. (60000)	900	970	120	4-6
	. (60000)	1155	1235	210	4-7
	. (60000)	970	1090	140	3-5
	. (60000)	900	1020	140	3-5
	. (60000)	580	650	110	3-4
	. (60000)	1755	1855	270	5-9
	. (60000)	1125	1205	205	5-8
	. (60000)	1125	1205	205	5-8
	. (60000)	1770	1870	195	4-6
	. (60000)	1420	1555	160	4-6
	. (60000)	970	1090	140	3-5
	. (60000)	900	1020	140	3-5
	. (60000)	1125	1205	205	5-8
	. (60000)	1150	1270	140	3-5

		0,5	1	29	1
	. (60000)	770	825	120	3-4
	. (60000)	970	1090	140	3-5
	. (60000)	1445	1565	235	4-8
	. (60000)	1255	1325	215	4-8
	. (60000)	970	1090	140	3-5
	. (60000)	1020	1120	130	3-5
	. (60000)	900	1020	140	3-5
	. (60000)	1470	1605	160	5-7
	. (60000)	900	1020	140	3-5
	. (60000)	970	1090	140	3-5
	. (60000)	1150	1270	140	3-5
	. (60000)	990	1055	170	4-7
	. (60000)	1150	1270	140	3-5
	. (60000)	900	1020	140	3-5
	. (60000)	1650	1740	310	4-7
	. (60000)	1795	1935	245	4-8
	. (60000)	1125	1205	205	5-8
	. (60000)	900	1020	140	3-5
	. (60000)	970	1090	140	3-5
	. (60000)	945	1035	175	3-5
	. (60000)	900	1020	140	3-5
	. (60000)	900	1020	140	3-5
	. (60000)	970	1090	140	3-5
	. (60000)	970	1090	140	3-5
	. (60000)	970	1090	140	3-5
	. (60000)	900	1020	140	3-5
	. (60000)	815	860	120	2-4
	. (60000)	1445	1565	235	4-8
	. (60000)	970	1090	140	3-5

		0,5	1	29	1
	. (60000)	900	955	120	2-3
	. (60000)	870	955	120	2-3
	. (60000)	1125	1205	205	5-8
	. (60000)	900	1020	140	3-5
	. (60000)	1400	1500	210	3-6
	. (60000)	1150	1270	140	3-5
	. (60000)	970	1090	140	3-5
	. (60000)	1755	1855	270	5-9
	. (60000)	1150	1270	140	3-5
	. (60000)	970	1090	140	3-5
	. (60000)	1340	1480	160	5-8
	. (60000)	1125	1205	205	5-8
	. (60000)	1420	1555	160	5-7
	. (60000)	945	1035	175	3-5
	. (60000)	900	1020	140	3-5
	. (60000)	1150	1270	140	3-5
	. (60000)	1005	1105	190	3-6
	. (60000)	970	1090	140	3-5
	. (60000)	1290	1380	205	6-10
	. (60000)	970	1090	140	3-5
	. (60000)	900	1020	140	3-5
	. (60000)	1150	1270	140	3-5
	. (60000)	970	1090	140	3-5
	. (60000)	970	1090	140	3-5
	. (60000)	1420	1555	160	4-6
	. (60000)	970	1090	140	3-5
	. (60000)	1150	1270	140	3-5
	. (60000)	870	900	145	3-4
	. (60000)	1125	1205	205	5-8

		0,5	1	29	1
	. (60000)	900	1020	140	3-5
	. (60000)	970	1090	140	3-5
	. (60000)	1150	1270	140	3-5
	. (60000)	970	1090	140	3-5
	. (60000)	1150	1270	140	3-5
	. (60000)	1150	1270	140	3-5
	. (60000)	900	1020	140	3-5
	. (60000)	970	1090	140	3-5
	. (60000)	900	1020	140	3-5
	. (60000)	970	1090	140	3-5
	. (60000)	1150	1270	140	3-5
	. (60000)	2455	2545	320	3-6
	. (60000)	1345	1415	235	4-6
	. (60000)	1290	1380	205	4-7
	. (60000)	1125	1205	205	5-8
	. (60000)	970	1090	140	3-5
	. (60000)	970	1090	140	3-5
	. (60000)	900	1020	140	3-5
	. (60000)	1290	1440	200	3-5
	. (60000)	1150	1270	140	3-5
	. (60000)	1125	1205	205	5-8
	. (60000)	1645	1795	300	4-8
	. (60000)	900	1020	140	3-5
	. (60000)	970	1090	140	3-5
	. (60000)	900	1020	140	3-5
	. (60000)	1125	1205	205	5-8
	. (60000)	1125	1205	205	5-8
	. (60000)	1470	1605	160	4-6
	. (60000)	900	1020	140	3-5

		0,5	1	29	1
	. (60000)	1150	1270	140	3-5
	. (60000)	1150	1270	140	3-5
	. (60000)	1150	1270	140	3-5
	. (60000)	970	1090	140	3-5
	. (60000)	900	1020	140	3-5
	. (60000)	970	1090	140	3-5
	. (60000)	1125	1205	205	5-8
	. (60000)	570	650	100	2-3
	. (60000)	900	1020	140	3-5
	. (60000)	900	1020	140	3-5
	. (60000)	900	1020	140	3-5
	. (60000)	1155	1235	210	5-8
	. (60000)	900	1020	140	3-5
	. (60000)	900	1020	140	3-5
	. (60000)	1185	1265	170	5-8
	. (60000)	1420	1550	225	4-6
	. (60000)	1420	1555	160	4-6
	. (60000)	1345	1415	235	4-7
	. (60000)	1150	1270	140	3-5
	. (60000)	1400	1480	210	11-17
	. (60000)	900	1020	140	3-5
	. (60000)	1410	1485	220	3-5
	. (60000)	900	1020	140	3-5
	. (60000)	1445	1565	235	4-8
	. (60000)	900	1020	140	3-5
	. (60000)	1875	1955	355	7-16
	. (60000)	1455	1505	205	3-6
	. (60000)	1155	1235	210	3-6
	. (60000)	1185	1265	170	5-8

		0,5	1	29	1
	. (60000)	790	835	100	2-3
	. (60000)	900	1020	140	3-5
	. (60000)	1125	1205	205	5-8
	. (60000)	900	1020	140	3-5
	. (60000)	900	1020	140	3-5
	. (60000)	900	1020	140	3-5
	. (60000)	1010	1055	120	2-4
	. (60000)	900	1020	140	3-5
	. (60000)	1400	1500	210	3-6
	. (60000)	790	880	120	3-5
	. (60000)	1125	1205	205	5-8
	. (60000)	1125	1205	205	5-8
	. (60000)	1340	1490	220	3-5
	. (60000)	970	1090	140	3-5
	. (60000)	1660	1750	200	3-5
	. (60000)	1420	1550	225	4-6
	. (60000)	1125	1205	205	5-8
	. (60000)	580	650	110	4-5
	. (60000)	1150	1270	140	3-5
	. (60000)	970	1090	140	3-5
	. (60000)	970	1090	140	3-5
	. (60000)	900	1020	140	3-5
	. (60000)	1150	1270	140	3-5
	. (60000)	1150	1270	140	3-5
	. (60000)	900	1020	140	3-5
	. (60000)	870	915	120	2-4
	. (60000)	900	1020	140	3-5
	. (60000)	1005	1105	190	3-6
	. (60000)	700	800	130	4-6

		0,5	1	29	1
	. (60000)	1150	1270	140	3-5
	. (60000)	1125	1205	205	5-8
	. (60000)	900	1020	140	3-5
	. (60000)	1125	1205	205	5-8
	. (60000)	900	1020	140	3-5
	. (60000)	970	1090	140	3-5
	. (60000)	900	1020	140	3-5
	. (60000)	900	1020	140	3-5
	. (60000)	1155	1235	210	4-7
	. (60000)	900	1020	140	3-5
	. (60000)	1445	1565	235	4-8
	. (60000)	670	705	100	2-3
	. (60000)	1125	1205	205	5-8
	. (60000)	1150	1270	140	3-5
	. (60000)	1445	1565	235	4-8
	. (60000)	1125	1205	205	5-8
	. (60000)	970	1090	140	3-5
	. (60000)	1155	1235	210	5-8
	. (60000)	1155	1210	120	2-4
	. (60000)	900	1020	140	3-5
	. (60000)	970	1090	140	3-5
	. (60000)	900	1020	140	3-5
	. (60000)	1125	1205	205	5-8
	. (60000)	970	1090	140	3-5
	. (60000)	1190	1255	170	5-7
	. (60000)	1125	1205	205	5-8
	. (60000)	1150	1270	140	3-5
	. (60000)	1150	1270	140	3-5
	. (60000)	1005	1105	190	4-7

		0,5	1	29	1
'	.(60000)	900	1020	140	3-5
'	.(60000)	900	1020	140	3-5
'	.(60000)	900	1020	140	3-5
'	.(60000)	1150	1270	140	3-5
'	.(60000)	900	1020	140	3-5
'	.(60000)	970	1090	140	3-5
'	.(60000)	970	1090	140	3-5
'	.(60000)	1125	1205	205	5-8
'	.(60000)	970	1090	140	3-5
'	.(60000)	900	1020	140	3-5
'	.(60000)	1150	1270	140	3-5
'	.(60000)	970	1090	140	3-5
'	.(60000)	1125	1205	205	5-8
'	.(60000)	900	1020	140	3-5
'	.(60000)	900	1020	140	3-5
'	.(60000)	1125	1205	205	5-8
'	.(60000)	750	820	150	4-5
'	.(60000)	1150	1270	140	3-5
'	.(60000)	900	1020	140	3-5
'	.(60000)	1310	1375	195	5-8
'	.(60000)	1150	1270	140	3-5
'	.(60000)	900	1020	140	3-5
'	.(60000)	1755	1855	270	5-9
'	.(60000)	1150	1270	140	3-5
'	.(60000)	1005	1105	190	3-6
'	.(60000)	900	955	120	2-4
'	.(60000)	900	1020	140	3-5
'	.(60000)	1125	1205	205	5-8
'	.(60000)	880	925	120	2-4

		0,5	1	29	1
	. (60000)	1125	1205	205	5-8
	. (60000)	670	705	120	3-4
	. (60000)	1255	1325	215	4-6
	. (60000)	2025	2160	305	5-9
	. (60000)	1255	1325	215	2-4
	. (60000)	970	1090	140	3-5
	. (60000)	1320	1395	170	5-7
	. (60000)	1395	1535	225	4-8
	. (60000)	1655	1785	295	6-10
	. (60000)	970	1090	140	3-5
	. (60000)	1125	1205	205	5-8
	. (60000)	1395	1505	225	4-8
	. (60000)	1755	1855	270	5-9
	. (60000)	1150	1270	140	3-5
	. (60000)	1150	1270	140	3-5
	. (60000)	1915	2005	325	7-12
	. (60000)	1445	1565	235	4-8
	. (60000)	945	1035	175	4-6
	. (60000)	1290	1440	200	3-5
	. (60000)	970	1090	140	3-5
	. (60000)	970	1090	140	3-5
	. (60000)	900	1020	140	3-5
	. (60000)	1270	1405	150	4-6
	. (60000)	900	1020	140	3-5
	. (60000)	1150	1270	140	3-5
	. (60000)	1420	1555	160	4-6
	. (60000)	970	1090	140	3-5
	. (60000)	1400	1500	210	3-6
	. (60000)	1150	1270	140	3-5

		0,5	1	29	1
	. (60000)	1125	1205	205	5-8
	. (60000)	1255	1325	215	3-7
	. (60000)	900	1020	140	3-5
	. (60000)	1150	1270	140	3-5
	. (60000)	900	1020	140	3-5
	. (60000)	970	1090	140	3-5
	. (60000)	1150	1270	140	3-5
	. (60000)	1150	1270	140	3-5
	. (60000)	805	845	120	2-4
	. (60000)	900	1020	140	3-5
	. (60000)	1120	1200	150	3-5
	. (60000)	1155	1235	210	4-7
	. (60000)	1150	1270	140	3-5
	. (60000)	1125	1205	205	5-8
	. (60000)	1445	1565	235	4-8
	. (60000)	1005	1105	190	4-7
	. (60000)	900	1020	140	3-5
	. (60000)	1125	1205	205	5-8
	. (60000)	1125	1205	205	5-8
	. (60000)	1005	1105	190	3-6
	. (60000)	1400	1500	210	3-6
	. (60000)	1400	1500	210	3-6
	. (60000)	970	1090	140	3-5
	. (60000)	970	1090	140	3-5
	. (60000)	760	800	110	2-3
	. (60000)	900	1020	140	3-5
	. (60000)	870	915	120	3-5
	. (60000)	1615	1715	195	4-6
	. (60000)	900	1020	140	3-5

		0,5	1	29	1
	. (60000)	1150	1270	140	3-5
	. (60000)	1295	1345	255	5-9
	. (60000)	1400	1500	210	3-6
	. (60000)	580	650	110	3-4
	. (60000)	1150	1270	140	3-5
	. (60000)	1965	2055	360	7-13
	. (60000)	790	830	110	2-3
	. (60000)	1150	1270	140	3-5
	. (60000)	900	1020	140	3-5
	. (60000)	1470	1605	160	5-7
	. (60000)	1255	1325	215	4-7
	. (60000)	1005	1105	190	3-5
	. (60000)	1015	1055	220	4-7
	. (60000)	1125	1205	205	5-8
	. (60000)	670	735	165	2-3
	. (60000)	1320	1455	160	5-7
	. (60000)	900	1020	140	3-5
	. (60000)	900	1020	140	3-5
	. (60000)	915	955	200	3-5
	. (60000)	970	1090	140	3-5
	. (60000)	1150	1270	140	3-5
	. (60000)	990	1045	210	3-5
	. (60000)	1400	1500	210	3-6
	. (60000)	1110	1165	195	4-6
	. (60000)	900	1020	140	3-5
	. (60000)	1150	1270	140	3-5
	. (60000)	1395	1505	225	4-8
	. (60000)	1125	1205	205	5-8
	. (60000)	1125	1205	205	5-8

		0,5	1	29	1
	. (60000)	1125	1205	205	5-8
	. (60000)	970	1090	140	3-5
	. (60000)	1255	1325	215	3-5
	. (60000)	900	1020	140	3-5
	. (60000)	430	440	55	1-2
	. (60000)	1340	1480	160	5-8
	. (60000)	1290	1400	240	5-9
	. (60000)	1500	1580	235	4-9
	. (60000)	1150	1270	140	3-5
	. (60000)	900	1020	140	3-5
	. (60000)	900	1020	140	3-5
	. (60000)	900	1020	140	3-5
	. (60000)	1150	1270	140	3-5
	. (60000)	1125	1205	205	5-8
	. (60000)	1150	1270	140	3-5
	. (60000)	1150	1270	140	3-5
	. (60000)	1010	1055	120	2-4
	. (60000)	935	1055	145	3-5
	. (60000)	1150	1270	140	3-5
	. (60000)	1150	1270	140	3-5
	. (60000)	1150	1270	140	3-5
	. (60000)	970	1090	140	3-5
	. (60000)	1150	1270	140	3-5
	. (60000)	1420	1555	160	4-6
	. (60000)	1150	1270	140	3-5
	. (60000)	1150	1270	140	3-5
	. (60000)	1125	1205	205	5-8
	. (60000)	1290	1440	200	3-5
	. (60000)	900	1020	140	3-5

		0,5	1	29	1
	.(60000)	900	1020	140	3-5
	.(60000)	900	1020	140	3-5
	.(60000)	900	1020	140	3-5
	.(60000)	900	1020	140	3-5
	.(60000)	1150	1270	140	3-5
	.(60000)	970	1090	140	3-5
	.(60000)	900	1020	140	3-5
	.(60000)	1400	1480	210	3-7
	.(60000)	900	1020	140	3-5
	.(60000)	1345	1415	235	4-7
	.(60000)	1345	1415	235	5-8
	.(60000)	900	1020	140	3-5
	.(60000)	1005	1105	190	3-6
	.(60000)	1785	1905	235	4-8