



02.09.2011

www.edostavka.ru

		0,5	1	29	1
		1070	1140	180	4-6
		770	880	110	2-4
		1020	1130	110	2-4
		840	950	110	2-4
		1215	1360	200	3-5
		1005	1105	165	3-6
		1005	1105	165	3-6
		840	950	110	2-4
		1215	1360	200	3-5
		770	880	110	2-4
		770	880	110	2-4
		840	950	110	2-4
		1215	1360	200	3-5
		600	940	150	2-4
		800	880	140	3-5
		770	880	110	2-4
		700	800	130	2-4
		1020	1130	110	2-4
		1215	1360	200	3-5
		1410	1540	185	5-7
		840	950	110	2-4
		2180	2325	380	8-10
		1005	1105	165	3-6
		770	880	110	2-4
		860	940	125	4-6
		770	880	110	2-4
		800	880	140	3-4
		1020	1130	110	2-4
		1005	1105	165	3-6
		1020	1130	110	2-4
		770	880	110	2-4
		1005	1105	165	3-6
		630	720	110	2-3
		1230	1340	170	4-7
		1020	1130	110	2-4

		0,5	1	29	1
		1020	1130	110	2-4
		1215	1360	200	3-5
		840	950	110	2-4
		1240	1330	205	5-7
		930	1040	170	3-5
		770	880	110	2-4
		915	1015	160	4-7
		780	825	100	3-4
		1070	1140	180	4-8
		1070	1140	180	5-8
		1020	1130	110	2-4
		1410	1540	185	6-8
		1005	1105	165	3-6
		840	950	110	2-4
		840	950	110	2-4
		840	950	110	2-4
		915	955	200	2-4
		1410	1540	190	6-8
		770	880	110	2-4
		760	805	100	2-4
		840	950	110	2-4
		1215	1360	200	3-5
		630	720	110	2-3
		770	880	110	2-4
		770	880	110	2-4
		770	880	110	2-4
		1630	1765	260	5-8
		770	880	110	2-4
		630	720	110	2-4
		770	880	110	2-4
		920	1130	110	3-6
		1020	1130	110	2-4
		930	1040	170	3-5
		1005	1105	165	3-6
		1005	1105	165	3-6
		770	880	110	2-4
		770	880	110	2-4
		1420	1500	265	4-7

		0,5	1	29	1
		770	880	110	2-4
		600	940	150	2-4
		860	940	150	3-5
		630	720	110	2-3
		805	915	115	2-4
		1020	1130	110	2-4
		540	620	100	2-3
		1005	1105	165	3-6
		800	880	140	2-4
		1020	1130	110	2-4
		540	620	100	2-3
		1020	1130	110	2-4
		1020	1130	110	2-4
		770	880	110	2-4
		840	950	110	2-4
		1020	1130	110	2-4
		1020	1130	110	2-4
		770	880	110	2-4
		1080	1220	160	3-6
		930	1020	150	4-6
		1215	1360	200	3-5
		840	950	110	2-4
		1005	1105	165	3-6
		1005	1105	165	3-6
		840	950	110	2-4
		770	880	110	2-4
		770	880	110	2-4
		1070	1140	180	4-6
		1030	1140	160	4-7
		1030	1140	160	4-7
		840	950	110	2-4
		1005	1105	165	3-6
		1290	1435	145	3-5
		1020	1130	110	2-4
		1020	1130	110	2-4
		920	1130	110	3-6
		770	880	110	2-4
		770	880	110	2-4
		1240	1330	205	5-7
		920	1130	110	3-6
		1020	1130	110	2-4

		0,5	1	29	1
		770	880	110	2-4
		770	880	110	2-4
		770	880	110	2-4
		1005	1105	165	3-6
		1005	1105	165	3-6
		1020	1130	110	2-4
		1020	1130	110	2-4
		670	850	70	2-4
		1005	1105	165	3-6
		1020	1130	110	2-4
		1005	1105	165	3-6
		1020	1130	110	2-4
		1215	1360	200	3-5
		700	800	130	2-3
		540	560	70	3-5
		810	890	105	4-6
		1420	1500	260	4-8
		1020	1130	110	2-4
		1020	1130	110	2-4
		770	880	110	2-4
		1240	1330	205	5-7
		1460	1590	190	6-8
		920	1130	110	3-6
		770	880	110	2-4
		1410	1540	190	5-7
		770	880	110	2-4
		370	380	35	1-2
		1020	1130	110	2-4
		840	950	110	2-4
		770	880	110	2-4
		770	880	110	2-4
		770	880	110	2-4
		840	950	110	2-4
		1005	1105	165	3-6
		755	1105	350	3-5
		1005	1105	165	3-6
		770	880	110	2-4
		1410	1540	190	6-8
		920	1130	110	3-6

		0,5	1	29	1
		1020	1130	110	2-4
		915	1015	160	4-7
		770	880	110	2-4
		840	950	110	2-4
		840	950	110	2-4
		840	950	110	2-4
		770	880	110	2-4
		840	950	110	2-4
		1005	1105	165	3-6
		1410	1540	190	5-7
		770	880	110	2-4
		840	950	110	2-4
		1005	1105	165	3-6
		1005	1105	165	3-6
		770	880	110	2-4
		1550	1630	265	7-11
		630	720	110	2-5
		840	950	110	2-4
		700	800	130	2-4
		770	880	110	2-4
		920	1130	110	3-6
		770	880	110	2-4
		840	950	110	2-4
		1020	1130	110	2-4
		860	940	150	2-4
		2190	2405	165	4-6
		1410	1540	190	5-7
		840	950	110	2-4
		800	880	140	3-5
		1005	1105	165	3-6
		1005	1105	165	3-6
		540	620	100	1-2
		540	620	100	3-5
		840	950	110	2-4
		770	880	110	2-4
		490	560	90	2-3
		1230	1340	170	4-7
		1005	1105	165	3-6
		1005	1105	165	3-6

		0,5	1	29	1
		1635	1760	215	4-6
		1410	1540	190	5-7
		840	950	110	2-4
		770	880	110	2-4
		1005	1105	165	3-6
		1020	1130	110	2-4
		860	940	150	3-4
		840	950	110	2-4
		920	1130	110	3-6
		800	880	140	3-6
		840	950	110	2-4
		890	980	100	2-4
		770	880	110	2-4
		1460	1590	190	6-8
		770	880	110	2-4
		840	950	110	2-4
		1020	1130	110	2-4
		860	970	150	3-6
		1020	1130	110	2-4
		770	880	110	2-4
		1100	1155	200	3-5
		1270	1500	120	3-6
		1005	1105	165	3-6
		770	880	110	2-4
		840	950	110	2-4
		490	560	90	2-3
		770	880	110	2-4
		770	880	110	2-4
		840	950	110	2-4
		840	950	110	2-4
		840	950	110	2-4
		770	880	110	2-4
		630	720	110	2-3
		920	1130	110	3-6
		840	950	110	2-4
		1090	1180	190	4-6
		860	940	150	3-4
		1005	1105	165	3-6
		770	880	110	2-4
		1215	1360	200	3-5

		0,5	1	29	1
		1020	1130	110	2-4
		840	950	110	2-4
		1230	1340	170	4-7
		1020	1130	110	2-4
		840	950	110	2-4
		1410	1540	190	5-7
		1005	1105	165	3-6
		1410	1540	190	6-8
		860	940	150	3-5
		770	880	110	2-4
		1020	1130	110	2-4
		630	720	110	2-3
		840	950	110	2-4
		970	1040	155	6-9
		840	950	110	2-4
		770	880	110	2-4
		1020	1130	110	2-4
		840	950	110	2-4
		840	950	110	2-4
		1410	1540	190	5-7
		840	950	110	2-4
		1020	1130	110	2-4
		440	510	70	2-3
		1005	1105	165	3-6
		770	880	110	2-4
		840	950	110	2-4
		1020	1130	110	2-4
		840	950	110	2-4
		1020	1130	110	2-4
		1020	1130	110	2-4
		770	880	110	2-4
		840	950	110	2-4
		770	880	110	2-4
		840	950	110	2-4
		1020	1130	110	2-4
		2720	2840	380	3-6
		1070	1140	180	3-4

		0,5	1	29	1
		880	925	120	2-4
		800	880	140	3-5
		1005	1105	165	3-6
		840	950	110	2-4
		840	950	110	2-4
		770	880	110	2-4
		1290	1390	250	3-5
		1020	1130	110	2-4
		1005	1105	165	3-6
		1560	1700	270	4-7
		770	880	110	2-4
		840	950	110	2-4
		770	880	110	2-4
		1005	1105	165	3-6
		1005	1105	165	3-6
		1460	1590	190	5-7
		770	880	110	2-4
		1020	1130	110	2-4
		1020	1130	110	2-4
		1020	1130	110	2-4
		840	950	110	2-4
		770	880	110	2-4
		840	950	110	2-4
		1005	1105	165	3-6
		440	510	70	1-2
		770	880	110	2-4
		770	880	110	2-4
		770	880	110	2-4
		800	880	140	3-5
		770	880	110	2-4
		770	880	110	2-4
		540	560	70	3-5
		1770	1940	310	4-6
		1410	1540	190	5-7
		860	940	150	3-5
		1020	1130	110	2-4
		1070	1140	180	10-15
		770	880	110	2-4

		0,5	1	29	1
		650	880	140	3-5
		770	880	110	2-4
		920	1130	110	3-6
		770	880	110	2-4
	()	1700	1790	295	4-12
		1720	1800	265	3-6
		1070	1140	180	3-5
		540	560	70	3-5
		440	510	70	2-3
		770	880	110	2-4
		1005	1105	165	3-6
		770	880	110	2-4
		770	880	110	2-4
		770	880	110	2-4
		860	940	150	3-4
		770	880	110	2-4
		970	1010	120	2-4
		860	940	150	3-4
		1005	1105	165	3-6
		1005	1105	165	3-6
		770	825	110	3-4
		840	950	110	2-4
		1000	1065	200	2-4
		1330	1520	245	4-6
		1005	1105	165	3-6
		540	620	100	2-3
		1020	1130	110	2-4
		840	950	110	2-4
		840	950	110	2-4
		770	880	110	2-4
		1020	1130	110	2-4
		1020	1130	110	2-4
		770	880	110	2-4
		630	720	110	3-4
		770	880	110	2-4
		630	720	110	2-3
		630	720	110	2-4
		1020	1130	110	2-4
		1005	1105	165	3-6

		0,5	1	29	1
		770	880	110	2-4
		1005	1105	165	3-6
		770	880	110	2-4
		840	950	110	2-4
		770	880	110	2-4
		770	880	110	2-4
		1450	1520	245	5-7
		630	720	110	3-5
		770	880	110	2-4
		920	1130	110	3-6
		700	800	130	2-3
		1005	1105	165	3-6
		1020	1130	110	2-4
		920	1130	110	3-6
		1005	1105	165	3-6
		840	950	110	2-4
		800	880	140	3-5
		1070	1140	180	3-5
		770	880	110	2-4
		840	950	110	2-4
		770	880	110	2-4
		1005	1105	165	3-6
		840	950	110	2-4
		1060	1170	150	4-6
		1005	1105	165	3-6
		1020	1130	110	2-4
		1020	1130	110	2-4
		630	720	110	3-5
		770	880	110	2-4
		770	880	110	2-4
		770	880	110	2-4
		1020	1130	110	2-4
		770	880	110	2-4
		840	950	110	2-4
		840	950	110	2-4
		1005	1105	165	3-6
		840	950	110	2-4
		770	880	110	2-4
		1020	1130	110	2-4
		840	950	110	2-4
		1005	1105	165	3-6

		0,5	1	29	1
		770	880	110	2-4
		770	880	110	2-4
		1005	1105	165	3-6
		630	720	110	2-3
		1020	1130	110	2-4
		770	880	110	2-4
		1230	1320	195	5-8
		1020	1130	110	2-4
		770	880	110	2-4
		1230	1340	170	4-7
		1020	1130	110	2-4
		630	720	110	2-4
		900	955	120	2-3
		770	880	110	2-4
		1005	1105	165	3-6
		220	250	35	1
		1005	1105	165	3-6
		540	620	100	2-3
		800	880	140	2-3
		1470	1635	220	3-6
		700	800	130	1-2
		840	950	110	2-4
		1190	1310	150	4-6
		870	1100	100	3-6
		1300	1430	225	5-8
		840	950	110	2-4
		1005	1105	165	3-6
		870	1070	100	3-6
		1230	1340	170	4-7
		1020	1130	110	2-4
		1020	1130	110	2-4
		1550	1630	265	7-11
		920	1130	110	3-6
		630	720	110	3-4
		1290	1390	250	3-5
		840	950	110	2-4
		840	950	110	2-4
		770	880	110	2-4
		1260	1390	180	5-7
		770	880	110	2-4

		0,5	1	29	1
		1020	1130	110	2-4
		1410	1540	190	5-7
		840	950	110	2-4
		870	915	120	2-4
		1020	1130	110	2-4
		1005	1105	165	3-6
		800	880	140	2-5
		770	880	110	2-4
		1020	1130	110	2-4
		770	880	110	2-4
		840	950	110	2-4
		1020	1130	110	2-4
		1020	1130	110	2-4
		1070	1140	180	2-4
		770	880	110	2-4
		370	380	35	1-2
		800	880	140	3-5
		1020	1130	110	2-4
		1005	1105	165	3-6
		920	1130	110	3-6
		630	720	110	3-5
		770	880	110	2-4
		1005	1105	165	3-6
		1005	1105	165	3-6
		630	720	110	2-4
		1215	1360	200	3-5
		1215	1360	200	3-5
		840	950	110	2-4
		840	950	110	2-4
		300	400	55	1
		770	880	110	2-4
		700	800	130	3-4
		1705	1830	225	4-6
		770	880	110	2-4
		1020	1130	110	2-4
		980	1330	205	4-8
		1215	1360	200	3-5
		400	460	60	2-3
		1020	1130	110	2-4
		1670	1790	260	7-12
		700	800	130	2-3

		0,5	1	29	1
		1020	1130	110	2-4
		770	880	110	2-4
		1460	1590	190	6-8
		1070	1140	180	3-5
		400	460	60	1-2
		600	940	150	3-5
		1005	1105	165	3-6
		440	510	70	1-2
		1310	1440	190	6-8
		770	880	110	2-4
		770	880	110	2-4
		920	1280	195	3-5
		840	950	110	2-4
		1020	1130	110	2-4
		860	940	150	3-5
		1215	1360	200	3-5
		970	1010	120	3-4
		770	880	110	2-4
		1020	1130	110	2-4
		870	1070	100	3-6
		1005	1105	165	3-6
		1005	1105	165	3-6
		1005	1105	165	3-6
		840	950	110	2-4
		800	880	140	2-4
		770	880	110	2-4
		700	800	130	2-3
		1410	1540	190	5-7
		1170	1260	175	4-7
		860	940	150	3-7
		1020	1130	110	2-4
		770	880	110	2-4
		770	880	110	2-4
		770	880	110	2-4
		1020	1130	110	2-4
		1005	1105	165	3-6
		1020	1130	110	2-4
		1020	1130	110	2-4
		1070	1140	180	2-5
		805	915	115	2-4

		0,5	1	29	1
		1020	1130	110	2-4
		1020	1130	110	2-4
		1020	1130	110	2-4
		840	950	110	2-4
		1020	1130	110	2-4
		1410	1540	190	5-7
		1020	1130	110	2-4
		1020	1130	110	2-4
		1005	1105	165	3-6
		1290	1390	250	3-5
		770	880	110	2-4
		770	880	110	2-4
		770	880	110	2-4
		770	880	110	2-4
		770	880	110	2-4
		770	880	110	2-4
		1020	1130	110	2-4
		840	950	110	2-4
		770	880	110	2-4
		800	880	140	2-5
		770	880	110	2-4
		1070	1140	180	3-5
		860	940	150	2-4
		770	880	110	2-4
		630	720	110	2-4
		1260	1470	110	3-6